







- Dieterich, S., Ford, E., Pavord, D., & Zeng, J. (2015). Practical radiation oncology physics e-Book: A companion to Gunderson & Tepper's clinical radiation oncology. USA: Elsevier Health Sciences.
- Froseth, T.C., Strickert, T., Solli, K.S., Salvesen, O., Frykholm, G., & Reidunsdatter, R.J. (2015). A randomized study of the effect of patient positioning on setup reproducibility and dose distribution to organs at risk in radiotherapy of rectal cancer patients. *Radiat Oncol*, 10(1), p.217.
- Gomez, L. D. Fernandez, A. S. Daffos, P. R. Tisaire, J. Olasolo, J. J. (2018). P-314 - Prone vs supine position in patients with rectal cancer treated with volumetric arc therapy and concurrent chemotherapy, Annals of Oncology, Volume 29, Supplement 5, 2018, Page v88, ISSN 0923-7534, <https://doi.org/10.1093/annonc/mdy151.313>. (<https://www.sciencedirect.com/science/article/pii/S0923753419340505>)
- Hong, T.S., Tomé, W.A., Chappell, R.J., Chinnaiyan, P., Mehta, M.P., & Harari, P.M. (2005). The impact of daily setup variations on head-and-neck intensity-modulated radiation therapy. *Int J Radiat Oncol Biol Phys*, 61(3), 779-788.
- Kennedy, E., Vella, E.T., Macdonald, D.B., Wong, C.S., & McLeod, R. (2015). Optimisation of preoperative assessment in patients diagnosed with rectal cancer. *Clin Oncol*, 27(4), 225-245.
- Langmack, K.A. (2001). Portal imaging. *BJR Open*, 74(885), 789-804.
- Li, W., Moseley, D.J., Bissonnette, J.P., Rurdie, T.G., Bajjak, A., & Jaffray, D.A. (2010). Setup reproducibility for thoracic and upper gastrointestinal radiation therapy: Influence of immobilization method and online cone-beam CT guidance. *Med Dosim*, 35(4), 287-296.
- Lin, L.L., Hertan, L., Bengen, R., & Too, B.K. (2012). Effect of body mass index on magnitude of setup errors in patients treated with adjuvant radiotherapy for endometrial cancer with daily image guidance. *Int J Radiat Oncol Biol Phys*, 83(2), 670-675.
- Lu, Y., Ni, X., Yu, J., Ni, X., Sun, Z., Wang, J., Sun, S., & Wang, J. (2018). Lower limb immobilization device induced small setup errors in the radiotherapy. *Medicine*, 97(15).
- Kim, A., Karotki, A., Presutti, J., Gonzales, G., Wong, S., & Chu, W. (2017). The effect of prone and supine treatment positions for the pre-operative treatment of rectal cancer on organ-at-risk sparing and setup reproducibility using volumetric modulated arc therapy. *Radiat Oncol*, 12(1), 180.
- Kye, B.H., & Cho, H.M. (2014). Overview of radiation therapy for treating rectal cancer. *Ann Coloproctol*, 30(4), 165.
- Macrae, F.A. (2016). Colorectal cancer: Epidemiology, risk factors, and protective factors. Uptodate. com [Internet]. [ažurirano 9. lipnja 2017.]
- Ottosson, S., Zackrisson, B., Kjellén, E., Nilsson, P., & Laurell, G. (2013). Weight loss in patients with head and neck cancer during and after conventional and accelerated radiotherapy. *Acta Oncol*, 52(4), 711-718.
- Rosenthal, S.A., Roach III, M., Goldsmith, B.J., Doggett, E.C., Pickett, B., Yuo...Ryu, J.K. (1993). Immobilization improves the reproducibility of patient positioning during six-field conformal radiation therapy for prostate carcinoma. *Int J Radiat Oncol Biol Phys*, 27(4), 921-926.
- Surendra, V., Moseley, D., Chan, E. (2014). Supine vs. Prone: A Retrospective Study on Rectum Patient Positioning, Journal of Medical Imaging and Radiation Sciences, Volume 45, Issue 2, 2014, Pages 177-178, ISSN 1939-8654. <https://doi.org/10.1016/j.jmir.2014.03.056>. (<https://www.sciencedirect.com/science/article/pii/S1939865414000940>)
- Washington, C.M. & Leaver, D.T. (2015). Principles and Practice of Radiation Therapy-E-Book. USA: Elsevier Health Sciences.
- White, P., Yee, C.K., Shan, L.C., Chung, L.W., Man, N.H., & Cheung, Y.S. (2014). A comparison of two systems of patient immobilization for prostate radiotherapy. *Radiat Oncol*, 9(1), 29.
- Wong, R., Berry, S., Spithoff, K., Simunovic, M., Chan, K., Agboola, O., & Dingle, B. (2010). Preoperative or postoperative therapy for stage II or III rectal cancer: an updated practice guideline. *Clin Oncol (R Coll Radiol)*, 265-271.
- Yoon, W.S., Yang, D.S., Lee, J.A., Lee, S., Park, Y.J., & Kim, C.Y. (2012). Risk factors related to interfractional variation in whole pelvic irradiation for locally advanced pelvic malignancies. *Strahlenther Onkol*, 188(5), 395-403.